Models, area codes and applicable serial numbers

Models, area codes and applicable serial Nos. given in this parts catalogue can be identified as follows.

Parts with area codes are exclusive for models destined for countries designated.

If no area codes are listed, parts are for common use.


Model	Area code	Type	Applicable engine serial No.	Applicable frame serial No.	Applicable carburator identification No.
CB1000FP [CB1000]	AR	Austria	SC30E-5000002～5000071	SC30-2001023～2001845	VP46B [A]
	E	England	SC30E-2000056～2006174	SC30-2000040～2002322	VP45D [A]
	ED	European direct sales	SC30E-2000058～2003438	SC30-2000042～2002586	VP45D [A]
	F	France	SC30E-2000057～2003379	SC30-2000041～2002527	VP45D [A]
	G	Germany (＊1)	SC30E-2000045～2003283	SC30-2000028～2002431	VP45B [A]
	ND	North Europe	SC30E-2000150～2002256	SC30-2000133～2001415	VP45D [A]
	SP	Spain	SC30E-2000026～2002838	SC309＊0M000002～0M000201	VP45D [A]
	SW	Switzerland	SC30E-2000047～2003132	SC30-2000031～2002280	VP46A [A]
	2G	Germany (＊2)	SC30E-3000001～3000020	SC30-3000001～3000020	VP45B [A]
CB1000FR [CB1000]	AR	Austria	SC30E-5100001～5100050	SC30-2100278～2101541	VP46B [A]
	E	England	SC30E-2100278～2101721	SC30-2100292～2101607	VP45D [A]
	ED	European direct sales	SC30E-2100344～2101655	SC30-2100303～2101533	VP45D [A]
	F	France	SC30E-2100133～2101654	SC30-2100133～2101532	VP45D [A]
	G	Germany (＊1)	SC30E-2100008～2101687	SC30-2100008～2101753	VP45B [A]
	ND	North Europe	SC30E-2101206～2101549	SC30-2101109～2101452	VP45D [A]
	SP	Spain	SC30E-2100289～2101651	SC309＊0M100001～0M100163	VP45D [A]
	SW	Switzerland	SC30E-2100228～2101599	SC30-2100228～2101530	VP46A [A]
	2G	Germany (＊2)	SC30E-3100001	SC30-3100001	VP45B [A]
CB1000FS [CB1000]	AR	Austria	SC30E-5200004～	SC30-2200057～	VP46B [A]
	E	England	SC30E-2200056～	SC30-2200072～	VP45D [A]
	ED	European direct sales	SC30E-2200002～	SC30-2200061～	VP45D [A]
	F	France	SC30E-2200673～	SC30-2200126～	VP45D [A]
	G	Germany (＊1)	SC30E-2200009～	SC30-2200010～	VP45B [A]
	ND	North Europe	SC30E-2200651～	SC30-2200104～	VP45D [A]
	U	Australia	SC30E-2200078～	SC30U＊SM100002～	VP45D [A]
	2G	Germany (＊2)	SC30E-3200003～	SC30-3200002～	VP45B [A]
CB1000FT [CB1000]	AR	Austria	SC30E-5300001～	SC30A＊TM000001～	VP46B [A]
	E	England	SC30E-2300001～	SC30A＊TM000001～	VP45D [A]
	ED	European direct sales	SC30E-2300001～	SC30A＊TM000001～	VP45D [A]
	F	France	SC30E-2300001～	SC30A＊TM000001～	VP45D [A]
	G	Germany (＊1)	SC30E-2300001～	SC30A＊TM000001～	VP45B [A]
	ND	North Europe	SC30E-2300001～	SC30A＊TM000001～	VP45D [A]
	SP	Spain	SC30E-2300001～	SC30A＊TM000001～	VP45D [A]
	SW	Switzerland	SC30E-2300001～	SC30B＊TM000001～	VP46A [A]
	2G	Germany (＊2)	SC30E-3300001～	SC30C＊TM000001～	VP45B [A]


(＊1) Full power type


(＊2) 50 ps type


＊Of carburetor identification numbers, only the portions underlined in the example below are used for registration.

VP46B [A] KC ア



6
7
5
8
5
4
1
3
2
9
FR.
MZ13-E0100


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
FR.
MZ13-E0200 A


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
FR.
MZ13-E0300 A




MZ13-E0400 A





FR.


MZ13-E0500



MZ13-E0600



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
FR.
MZ13-E0700


12
14
5
17
6
6
3
13
2
15
4
16
1
11
19
10
20
9
18
7
18
8
18
18
18
FR.
MZ13-E0800





FR.

MZ13-E0900




MZ13-E1000



32
4
6
29
5
17
36
33
11
30
13
15
14
16
19
12
8
35
28
32
38
31
1
27
25
21
20
32
41
10
9
21
21
21
23
3
2
39
24
22
25
26
18
7
24
34
26
40
37
FR.
MZ13-E1100





FR.


MZ13-E1200



FR.
14
3
12
2
1
11
9
10
10
13
4
5
8
15
16
9
6
7
MZ13-E1300A



23
22
23
23
22
23
23
23
23
23
23
22
23
23
23
23
23
2
13
11
3
1
12
21
16
14
5
8
20
18
17
18
4
7
19
9
19
6
19
15
15
10
24
24
24
FR.
MZ13-E1400



19
37
44
27
2
3
38
38
7
28
28
29
4
1
20
1
43
8
31
43
11
32
32
32
10
1
22
43
31
8
6
5
43
9
26
12
34
34
34
30
36
35
1
28
1
20
1
21
FR.
25
42
18
16
25
40
39
16
25
23
25
41
40
41
23
25
17
13
24
13
24
14
24
14
24
40
14
24
40
15
24
40
MZ13-E1500A



19
21
15
20
16
17
1
13
2
18
4
3
18
11
11
11
11
10
10
10
10
11
11
11
11
9
6
5
8
8
7
14
14
14
14
14
14
14
14
14
12
17
FR.
MZ13-E1600



30
33
20
3
31
20
14
27
19
10
9
23
22
8
9
19
27
12
5
27
19
6
2
28
15
21
17
29
32
1
26
18
11
13
24
25
4
20
16
34
26
7
FR.
MZ13-E1700



29
6
5
1
2
3
4
7
24
17
28
31
26
28
15
18
19
20
32
32
33
27
8
9
13
14
16
10
11
16
14
12
25
30
22
21
23
FR.
MZ13-E1800


6
10
12
12
5
12
10
12
1
10
2
7
10
3
1
3
4
8
11
9
FR.
MZ13-E1900


18
7
6
6
4
9
2
6
6
1
26
1
17
3
16
27
20
28
20
7
4
5
5
29
30
24
22
24
31
24
21
24
10
13
11
12
10
13
19
23
14
23
8
31
30
25
1
26
2
5
5
9
1
15
FR.
MZ13-E2000 A



FR.
MZ13-E2001B


9
9
1
8
2
9
10
9
12
12
7
10
8
3
3
12
12
6
3
11
3
4
11
11
5
11
3
FR.
MZ13-E2100 A




FR.


ENG1－X0005





FR.


ENG2— X0005



1
25
23
21
1
20
22
23
25
26
1
1
1
19
24
26
27
6
9
4
5
8
12
14
11
17
13
7
10
16
18
15
3
2
FR.
MZ13-F0100A



FR.
MZ13-F0200A


1
2
8
7
5
18
19
14
11
12
16
15
10
13
17
3
6
4
9
20
21
FR.
MZ13-F0300A



21
21
9
7
13
6
20
11
12
23
8
15
10
23
14
18
1
22
19
19
17
16
4
19
19
19
3
5
19
2
19
17
17
19
19
19
17
19
19
FR.
MZ13-F0400



20
20
9
12
13
8
4
10
22
22
16
18
18
5
15
6
21
17
3
11
19
7
1
2
14
16
18
18
FR.
MZ13-F0500 A



15
17
1
12
14
8
20
20
21
21
20
20
21
21
9
9
5
6
1
10
10
7
2
14
11
3
4
13
18
19
16
11
18
16
8
FR.
MZ13-F0600



10
11
6
4
12
3
13
5
8
14
1
2
7
9
8
FR.
MZ13-F0700A


FR.
3
8
7
8
6
1
7
4
4
9
5
5
6
7
8
7
9
2
8
MZ13-F0800B



1
10
18
17
24
16
13
15
25
14
4
7
8
3
5
2
26
11
22
20
12
23
27
19
21
6
9
27
21
FR.
MZ13-F0900A



22
20
3
15
14
6
8
17
9
12
13
2
1
11
10
4
5
7
16
21
19
18
MZ13-F1000A
FR.



4
3
11
10
7
8
14
13
6
5
14
13
2
7
1
12
11
9
FR.
MZ13-F1100A



FR.
24
13
15
14
3
27
4
23
20
6
25
11
20
7
9
8
12
21
1
2
19
22
26
10
18
16
21
22
5
28
22
22
17
MZ13-F1200B


FR.
7
8
11
20
2
16
13
12
6
5
1
15
10
3
4
18
9
17
14
19
MZ13-F1300A



17
16
15
6
22
21
12
13
10
9
23
21
12
14
11
3
7
8
24
1
20
19
2
5
4
18
FR.
MZ13-F1400A



HONDA
SUPER FOUR
FR.
MZ13-F1500B


12
15
2
6
7
8
15
14
3
10
11
12
5
10
11
13
10
11
9
1
13
4
11
10
FR.
MZ13-F1600 A





MZ13-F1700 A



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
FR.
MZ13-F1800




MZ13-F1900A



6
11
9
7
10
15
8
16
3
5
17
12
14
2
4
5
1
13
FR.
MZ13-F2000A



11
8
6
1
24
25
20
20
25
4
5
7
27
29
3
21
19
19
22
14
23
18
16
30
2
13
31
28
26
17
22
30
2
31
13
26
28
15
12
19
21
10
27
29
4
5
11
8
9
25
25
1
20
20
24
FR.
MZ13-F2100





MZ13-F2200


11
7
17
22
25
25
6
8
16
18
14
9
4
5
21
4
5
21
13
12
12
13
10
2
19
15
20
24
23
15
20
1
3
26
3
FR.
MZ13-F2300 B



1
2
4
6
3
5
FR.
1
2
6
4
5
3
MZ13-F2400A



12
22
22
4
20
12
19
1
8
20
5
3
23
14
15
16
20
17
6
13
21
10
19
11
5
20
14
15
9
2
7
18
20
23
FR.
MZ13-F2500A



1
2
4
16
18
21
20
14
23
10
20
14
17
5
19
15
7
22
17
19
6
14
13
16
4
11
23
14
22
20
8
15
20
9
21
18
FR.
MZ13-F2600B




MZ13-F2700



3
6
4
11
5
2
1
11
13
8
13
9
10
7
12
FR.
MZ13-F2800



21
14
30
29
19
16
17
18
15
26
23
22
12
13
14
28
19
18
11
10
9
8
4
3
22
25
27
2
6
20
7
5
7
5
24
1
FR.
MZ13-F2900



28
3
2
13
26
5
26
11
1
27
27
1
4
30
8
10
19
29
7
24
28
15
22
21
12
25
24
20
17
6
23
16
19
9
23
23
6
21
15
18
17
14
FR.

MZ13-F3000B



HONDA
16
11
12
10
18
19
4
9
8
5
14
15
17
7
13
6
3
2
1
MZ13-F3100


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
A
B
C
FR.
MZ13-F3200B


•For your
7
6
UNLEADED FUEL
10
UNLEADED FUEL ONLY
9
TYPE
VERGASER
SCHALLDAMPFER
11
1
5
COLOR
CODE
8
▲ WARNING
4
▲ DRIVE CHAIN CAUTION
3
TIRE INFORMATION
2
MZ13-F3300B



G
2
E
F
HONDA
SUPER FOUR
D
3
HONDA
B
C
RES
1
OFF
A
ON
FUEL
MZ13-F3400A

CB1000




0030Z-MZ1-6000: ED, E, ND, SP
6200: F

CB1000




0030Z-MZ1-6000: ED, E, ND, SP
6200: F

CB1000




CB1000




0030Z-MZ1-6100: G
7100: II G

CB1000



CB1000




Abbreviations

The following abbreviations are used in this parts catalogue.


ASSY.	Assembly
COMP.	Complete
R.	Right
L.	Left
STD.	Standard
MM	Millimeter
G	Gram
T (22T)	Tooth (22Teeth)
A	Ampere
V	Volt
W	Watt
WL	With labelling
WOL	Without labelling
KPH	Kilometers per hour
ABS	Anti-lock brake system

L. E. D.	Light emitted diode
MPH	Miles per hour
L (100L)	Link (100Links)
A. C.	Alternating current
D. C.	Direct current
IN.	Inlet
EX.	Exhaust
FR.	Ffont
RR.	Rear
HEX.	Hexagonal
A. M.	Attaching mark
T. M.	Transcript mark
C. D. I.	Capacitive discharge ignition
PGM-FI	Programmed fuel injection
TCS	Traction contol system

Location of stamped serial number



DMZ1-A



DMZ1-B

Selection table for lock or blank key

Refer to the following selection table to select the lock or blank key.

Type	Key No.
TYPE 1	A＊＊ , B＊＊
TYPE 2	C＊＊ , D＊＊

＊: 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9

Color codes

The color code at the end of the part number indicates the color. Codes below ZA in alphabetical order (such as ZA, ZB, ZC, etc.) do not indicate the color directly, but reference must be made to the HONDA code given in the "Description" column of this parts catalogue.

Color code HONDA code	Color description
NH1	Black
NH341P	Pearl fadeless white
NH359M	Mute black metallic
R210C	Candy revive red
Y124P	Pearl shining yellow

Operations other than replacing parts

a. Removal and installation

No.	Service item	F.R.T.
1	Engine	3.3
2	Cylinder head	3.9
3	Carburetor	1.0
4	Radiator	0.5

b. Adjustment, measurement and cleaning

Engine

No.	Service item	F.R.T.
1	Spark plug-adjustment and cleaning	0.3
2	Tappet adjustment	1.5
3	Carburetor idle-adjustment	0.1
4	Engine oil-inspection (excluding oil change)	0.1
5	Compression-pressure measurement	0.5
6	Battery-checking of electrolyte level and gravity	0.2
7	Carburetor-float level measurement	1.0
8	Oil strainer cleaning	1.2
9	Throttle operation-adjustment	0.1
10	Carburetor synchronization-adjustment	0.5
11	Exterior of radiator corecleaning	0.3

Frame

No.	Service item	F.R.T.
1	Front brake-air bleading	0.2
2	Rear brake-air bleading	0.2
3	Brake-operation test	0.1
4	Headlight-aimings	0.1
5	Front wheel balance	0.8
6	Rear wheel balance	0.9

c. Overhaul

No.	Service item	F.R.T.
1	Carburetor	2.7